

Tablet bezel installation

BEFORE STARTING THIS PROCESS MAKE SURE TO READ THIS ENTIRE GUIDE BEFORE STARTING AND TAKE YOUR TIME AND BE VERY CAREFUL

Remove existing dash components:

Remove existing radio. Once removed remove original dash pad on dash. There are 7 nuts 10mm in size that hold it on. To access these drop the glove box and in there are 4. The last 3 can be accessed through the radio hole, 2 on the top and one to the left of the radio hole. Next remove the thin trim piece. You will want to unscrew the hvac and let it hang out of the dash.

Cutting the dash to fit new parts:

First thing you will want to cut out is the cross section that separates the radio hole and the hvac hole. See fig 1. - Before See fig 2. - After

Note: this is a display dashboard for test fitting and instructional purposes only



Fig 1



Fig 2

Fig 3

fig 4

The last cuts you will need to do will be to trim the corners on the sides of radio hole.
See fig 5 for before picture. See figure 6 for after picture.



Fig 5



Fig 6

NOTE: Dashboard used is used for test fitting purposes only and the pictures used in instructions are not a representation of how well the cuts should be made. Please take your time and be neat. This is a visual guide only to be able to see where and how cuts are made to be able to have a better understanding.

- Lip on bottom to support the tablet
- Magnets on the top of tablet slot for holding it in (magnets are 100% safe for Apple Ipad Mini model. Those branded tablets have the same type of magnets in them along the sides. And this was all verified with Apple support. We do not recommend using another brand of tablet due to this)
- Soft backing to prevent scratches to tablet or bezel
- Easy in and out of bezel with tablet
- This product was designed to fit an Apple Ipad mini 4 tablet. We do not guarantee any of the other 3 mini models to fit. Mini 1, 2, and 3 have the same dimensions but mini 4 is very slightly different. We do suspect all mini models to fit but cannot guarantee this due to not having those models on hand to test. Dimensions can be found on Apple website.
- A radio head unit will not fit behind this bezel. We suggest using 1 of 2 methods to be able to play music through vehicle speakers. One method would be to relocate radio somewhere else to your liking and having the tablet Bluetooth to the radio. The other method (which is in my personal truck) install an aftermarket amp. Some have Bluetooth capabilities, if yours does not than simply purchase a Bluetooth receiver. Cheap ones can be found at most part stores. Or nice ones can be found online from popular brands such as Kicker, Wetounds, NVX and some others. They have products that wire to key on power so it will come on with your amp. Mount it where ever you want, and they either have a knob or buttons to edit volume or change songs. They are also rated for outdoor use on atvs or marine applications which will make less of a worry being inside your vehicle.